



## Scoring & Timing Solution for Table-Tennis



## 1. Introduction

This is a professional solution for LED scoreboard display in table-tennis stadiums.


Mainly for large-scale table-tennis matches which held in professional sports venues.

The system functions conform to ITTF rules.


Match arrangement, real-time scoring & timing display, players' & referees' info display, rank statistics export & print, slow motion video record & playback, and advertising display can be realized through the coordination of Match Scoring System, Meet Management System, Sports Stats System, Video Arbitration System, etc.

It is an ideal choice for most of smart and professional stadiums.

Bank Of China 2021 WTT Smash Trails And Olympic Simulation



## 1.1 System Chart



## System Description

- 1) The system has the functions of scoring, timing and displaying in the mode of one court and multi courts.
- 2) It supports tournament schedule and result exporting.
- 3) In every court, one set of score tablet and LCD TV shall be equipped to manage and display the information of the score, players and sets.
- 4) The score information of every court will be gathered to display on the LED screen at the same time.

## 1.2 Product Configuration (for one court)

| Product                | Model              | Qt. |
|------------------------|--------------------|-----|
| Score Display Software | SCB VIEWER         | 1   |
| Wireless Score Tablet  | KS-GC14-I11        | 1   |
| Meet Management Server | KS-MMS-MINI        | 1   |
| LCD TV                 | 48inch LCD or more | 1   |
| TV Brackets            | /                  | 1   |
| Switcher               | TP-Link            | 1   |
| Router                 | TP-Link            | 1   |
| Printer                | HP                 | 1   |
| PC                     | /                  | 3   |

## 2. Specification for products

### 2.1 Score Display Software

| Products               | Details                                                                                                                                                                                                                                                   |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Score Display Software | <ul style="list-style-type: none"><li>◆ Model: SCB VIEWER</li><li>◆ Support: Table-tennis</li><li>◆ Display the current score and the set score of single court.</li><li>◆ Summary display the current score and the set score of multi courts.</li></ul> |

#### Single court display:



#### Multi courts display:



## 2.2 Wireless Score Tablet

| Products                                       | Details                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Wireless Score Controller Tablet</b></p> | <p>Model: KS-GC14-I11</p> <ul style="list-style-type: none"> <li>◆ Screen: 11"inch</li> <li>◆ Pixel: 1920*1200IPS</li> <li>◆ Ram: 6GB</li> <li>◆ Storage: 128GB</li> <li>◆ Battery: 8000mAh</li> <li>◆ System: Android</li> <li>◆ Supports: Table-tennis</li> <li>◆ Communication: WIFI</li> <li>◆ Full colored touch screen</li> </ul> |



### 2.3 Meet Management Server

| Products                      | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meet Management Server</b> | <p>Model: KS-MMS-MINI<br/>Size: 260*135*35 (mm)<br/>Weight: 1.0 KG<br/>Input Voltage: 12V DC<br/>RAM: 4GB<br/>CPU: Intel J3160<br/>Hard Disk: 64G<br/>Communication: LAN*1<br/>Port: VGA*1, DP*1, USB*2</p> <p>Features:</p> <ul style="list-style-type: none"><li>● Multi-court arrangement, auto generate the order form.</li><li>● Multi-project arrangement, make the schedule more smoothly.</li><li>● Monitor the status of each court in real time, including the current field, rotation and player info.</li><li>● Court adjustment, can manually modify the match court and session info.</li><li>● Summary and print integrated report.</li></ul> |



## 2.4 Video Arbitration System

Video Arbitration System named PARROT is composed of video arbitration server, control panel and cameras.

It is operated by the referee during the match. When working with Match Scoring System, referee's score operation will be marked on the frame of video automatically, whilst playback them in slow motion with changes in speed.

It can be used to provide the technical support when dispute happens during the match so as to reduce the misjudging, to ensure fairness and justice of the match.

### Application:

Basketball, Volleyball, Football, Tennis, Handball, Boxing, Wrestling, Wushu, Judo, Jujitsu, Karate, Taekwondo, Gymnastics, Swimming, Diving, Ice-hockey, Weightlifting, etc.



### 2.4.1 System Description


- 1) Ultra Score software is installed on the control computer. Connect the control computer and the video arbitration server to the local network.
- 2) 1-8 sets of HD cameras are installed around the count which connects to video arbitration server via SDI cable.
- 3) Control panel is connected to video arbitration server via a USB cable which makes referee easy to check the playback process and control the speed of slow motion.
- 4) Video arbitration server provides an output video signal which can be connected to LED/LCD display for live slow motion replay.

## 2.4.2 Functions

- 1) **Nonstop video recording in the background:** 1-8 channels of HD video are recorded simultaneously in the background, nonstop for 10 hours. Video retrieval and playback is unaffected.
- 2) **Synch-playback of multi-channel video:** Supports playback mode of single channel video in full screen and multi-angle video in 6 windows.
- 3) **Speed change in slow motion:** supports 20 frame/s video playback and capturing motion in a grid of 0.05s. The function of frame freeze, fast playback, 1/2 slow playback, 1/4 slow playback and dragging progress bar is available.
- 4) **Video event query:** video stream can be divided into several video events, storing in the event list, which can be renamed for retrieve easily.
- 5) **Video segment marker:** Important or controversial moments can be marked in video stream which will be replayed quickly when clicking the marked records.
- 6) **Professional playback control panel:** configuring T-bar, slow moving wheel, speed preset function keys to make the process more convenient.
- 7) **Video signal output:** provides 2 video output signals, one of which is for preview, the other of which can be connected to LED/LCD display for live slow motion replay.

### Working with Ultra Score System to realize:

- 1) **Auto generate video event:** Video events will be generated automatically for quick query according to the match data that has been preset in Ultra Score.
- 2) Real-time match timer will be superimposed on the video.
- 3) **Referee's operation record:** Referee's every scoring and timing operation can be recorded into the video, showed below the frame when that moment happened.
- 4) **Player's point record:** Player's point can be recorded into the video, showed below the frame when that moment happened.
- 5) **Open developer API:** Just connect your own scoring system onto this Video Arbitration System, so you may record all kinds of events together with the videos.



### 2.4.3 Video Arbitration Server (up to 8 channels record and replay)



#### Detailed parameter

| Item          | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Item               | Details                                 |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----------------------------------------|
| Product       | Video Arbitration Server                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Model              | KS-PARROT-2C/4C/6C/8C                   |
| Input Voltage | AC 100~240V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Power              | 35W                                     |
| Size          | 483x430x90mm (2U)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | CPU                | Intel I7                                |
| RAM           | 2 channels: 8GB<br>4/6/8 channels: 16GB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Hard Disk          | 2/4 channels: 800GB<br>6/8 channels: 2T |
| Input         | SDI×2/4/6/8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Communication Port | LAN×2                                   |
| Output        | DP×2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Other Port         | USB×4                                   |
| Packing List  | Host*1, Power cable*1, User manual*1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                    |                                         |
| Functions     | <ol style="list-style-type: none"> <li>1. Nonstop video recording in the background for 10 hours. Video retrieval and playback is unaffected.</li> <li>2. Support 50 frame/s video playback and capturing motion in a grid of 0.02s.</li> <li>3. Support playback the video of the specified channel frame by frame, or at a set speed continuously.</li> <li>4. Important or controversial moments can be marked manually or auto create video marks by linkage with Ultra Score System.</li> <li>5. Zoom the playback screen of any channel to accurately observe the details.</li> <li>6. Provide 2 video output signals, one of which is for preview, the other of which can be connected to LED/LCD display for live slow motion replay.</li> <li>7. Working with Ultra Score System can realize real-time match data displaying on the video.</li> <li>8. Automatically synchronize with the match and tag the video, so as to provide convenience to find the match sessions or sets.</li> <li>9. Each single operation of the referees will be recorded together with the videos.</li> <li>10. Unique "Follow" mode, automatically replay the most recent screen with a 5-second delay to help the referee make decisions quickly.</li> <li>11. Open external control interface which can be controlled by 3rd-part system.</li> </ol> |                    |                                         |

## 2.4.4 Control Panel



### Detailed parameters

| Item               | Details                                                                                                                                                                                                                                                                                                                                                          | Item       | Details             |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------------|
| Product            | Control Panel                                                                                                                                                                                                                                                                                                                                                    | Model      | KS-PARROT-CP        |
| Input Voltage      | AC 100~240V                                                                                                                                                                                                                                                                                                                                                      | Net weight | 1KG                 |
| Size               | 365 x 200 x 98 (mm)                                                                                                                                                                                                                                                                                                                                              | Power      | 15W                 |
| Communication Port | USB×1, RS232×1                                                                                                                                                                                                                                                                                                                                                   | Display    | Color LCD (4.3Inch) |
| Packing List       | Host* 1, Power Cable*1, USB Cable*1, User Manual*1                                                                                                                                                                                                                                                                                                               |            |                     |
| Functions          | <ol style="list-style-type: none"> <li>1. Support one touch replay, deferred replay, in/out replay.</li> <li>2. Preset speed button.</li> <li>3. T-Bar for dynamic slow motion.</li> <li>4. Professional dynamic jog wheel.</li> <li>5. Key to mark the last 10s/20s of the video content.</li> <li>6. Flexible select the marked video and playback.</li> </ol> |            |                     |

## 2.4.5 HD Camera



### Detailed parameters

| Product Model    | KS-PARROT-CAMERA |
|------------------|------------------|
| Video output     | 3G-SDI           |
| Effective pixels | 3.0 million      |
| Max Resolution   | 1920*1080        |
| Max Frame rate   | 60FPS            |
| Sensor           | CMOS             |
| Focal length     | 4.2MM            |
| Size             | 62.5*50*50MM     |