


Scoring & Timing Solution for Parkour Speed-run

This is a general solution for LED display in parkour speed-run stadium which has the functions of timing, scoring and displaying advertisement, notification, the information of order, score and result. It is an ideal choice for most of stadiums.

1. System Chart



1.2 System Structure Description

- 1) One LED screen is controlled by a computer which connects with LED sending card.
- 2) One laptop is equipped on the court working as Ultra score terminal special for referees' operation.
- 3) Wireless Transmitter (KS-LDWT) connects with the control computer via a USB cable.

2. Specification for products

2.1 Ultra Score Software

Products	Details
Ultra Score Software	<ul style="list-style-type: none">◆ Standalone edition◆ Supports: Parkour Speed-run◆ English version◆ Including 1 dongle

Software interface for Parkour Speed-run:

2019 FIG Parkour World Cup			
WOMEN' S SPEED-RUN FINAL			
Rank	Player	Region	Result
1	Hikari IZUMI	JPN	14.541
2	Saskia NEVILLE	NED	14.737
3	Anna GRIUKACH	UKR	14.821
4	Aleksandra SHEVCHENKO	RUS	14.891
5	Stefanny NAVARRO	ESP	15.812
6	Micaela BUONO PUGH	ARG	16.554
7	Stephania ZITIS	NZL	16.554
8	He ZHOU	CHN	17.642

2.2 Wireless Transmitter

Item	Details
Wireless Transmitter	<p>Type: KS-LDWT Size: 65x23x100 (mm) Communication: 433MHz Wireless Function:</p> <ul style="list-style-type: none">◆ Must be used together with Parkour Speed-run Scoring Software.◆ Wireless transmit the trigger time.◆ Wireless communication distance up to 800m.



2.3 Wireless Photocell

Item	Details
Wireless Photocell	<p>Type: KS-PTCL Size: 180x85x50 (mm) Communication: 433MHz Wireless Function:</p> <ul style="list-style-type: none">◆ Must be used together with Parkour Speed-run Scoring Software.◆ Detect the cut off of the light, and send the wireless signal.◆ Light detect distance 20M.



2.4 Reflect Panel

Item	Details
Reflect Panel	Type: KS-PTCL-REFL Size: 90*130*55(mm) Function: ◆ Reflect the light from the photocell.



2.5 LED Display

Item	Details
LED Display	<p>Type: KS-SCRN-LED960160 Size: 960*160*100(mm) Material: Aluminum Input: 48V DC Function:</p> <ul style="list-style-type: none">◆ Must be used together with Parkour Speed-run Scoring Software.◆ Display athlete's time.

